

"LENOX" SAW BLADES - USA

NO. S 85-9U "LENOX" HEAVY DUTY AND DEMOLITION BI-METAL RECIPROCATING SAW BLADES

Heavy-duty reciprocating saw blades are designed for use in metal cutting applications and are 44% thicker than standard blades, which increase blade life by eliminating blade whipping from side to side. Demolition blades are 77% thicker than standard blades, making them ideal for rehab work, rescue and demolition work.



106R



650R



* 960R



966R

* Tuff Tooth™

Item No.	Length x Thickness, Teeth per inch x Width	Application	Price (set of 2 pcs)
085-09U-106R	12" x 1.6mm x 6T x 25mm	Demolition work in nail-embedded wood.	
085-09U-650R	6" x 1.3mm x 10/14T x 19mm	Extended life when cutting pipe, structural steel and stainless steel (5-20mm). Fire and rescue.	
085-09U-960R	9" x 1.6mm x 10T x 25mm	Demolition work in nail-embedded wood and metal. Fire and rescue.	
085-09U-966R	9" x 1.6mm x 6T x 25mm	Demolition work in nail-embedded wood and metal. Fire and rescue.	

Packing : 2 pcs/pack



NO. S 85-9V "LENOX" BI-METAL TITANIUM EDGE (GOLD) RECIPROCATING SAW BLADE

Extended blade life with reinforced tooth design and precision-applied titanium coating dissipate heat. Titanium coating makes teeth more wear resistant so they stay sharp for quicker cuts. Bi-metal design stands up to the most demanding applications.

Item No.	Model	Length x Thickness, Teeth per inch x Width	Application	Price (set of 5pcs)
085-09V-06108G	6108G	6" x 1.0mm x 8T x 25mm	Structural steels greater than 3/16".	

Packing : 5 pcs/pack